



The FCC Conveyor System is specifically designed for high-load fire hose service stations. Built on a modular principle, the system allows users to configure the required functionality according to their specific needs.

The powerful conveyor stretches the hose to its full length and provides a complete maintenance cycle, including:

- Washing
- Drying
- Pressure testing
- Multiple winding options

Key Features

- Servicing up to 4 hoses simultaneously
- Supports non-standard hose lengths up to 40 meters
- Fully automated operation
- Controlled via TFT display
- Operated by a single person
- Low maintenance requirements

Smart Control System

- Fully software-controlled maintenance process
- Equipped with multiple electronic sensors
- Integrated or standalone winding system available

Safety

- Optional protective cover along the conveyor
- Operator safety shield available

Technical Specifications

Parameter	Value
Length	22.5 – 30.5 m
Width	1.3 m
Height	2.1 m
Weight	1950 kg
Water Tank Capacity	450 L
Hose Diameter Range	25 – 150 mm

Required Connections

- Power supply
- Water supply
- Compressed air
- Drainage

Construction

- Stainless steel conveyor
- Modular design
- Customizable configuration

Why Choose FCC Conveyor System?

The FCC system is an efficient and reliable solution that:

- Reduces maintenance time
- Improves operational efficiency
- Minimizes labor effort
- Ensures consistent service quality